



Rugged Tablet Accessories



- Office docks & vehicle docks
- Vehicle chargers
- Hand strap & shoudler strap
- Batteries & others accessories



www.intronix-systems.com



SUMMARY

For over 30 years, Intronix Systems has been helping its customers choose the **best solution** at the **best price** !

OFFICE DOCK.....	P3-P5
VEHICLE DOCK.....	P6-P10
STRAPS.....	P11
POWER.....	P12-P14
OTHERS.....	P15-P16
REFERENCE TABLE.....	P17-P19
CONTACT.....	P20



OFFICE DOCKS

XAT-OD01D1

Office dock for XRT-23A0801D1 & XRT-23A1001D1



- Charges both the tablet and a spare battery simultaneously
- 2xUSB 2.0, 1xRJ45 (10/100M), 1xRS232
- 65W PD or 19V DC-IN (Type-C)
- Size: 160*100*95.7mm
- Weight: 300g


XAT-OD02D1

Office dock for XRT-23C0801D1 & XRT-23C1001D1



- Charges both the tablet and a spare battery simultaneously
- 2xUSB 2.0, 1xRJ45 (10/100M), 1xRS232
- 65W PD or 19V DC-IN (Type-C)
- Size: 160*100*95.7mm
- Weight: 350g

Dimensions



OFFICE DOCKS


XAT-OD03D1

Office dock for XRT-24IX1101D1



- Charges for XRT-24IX1101D1
- 2xUSB 2.0, 1xRJ45 (10/100M), 1xRS232
- 65W PD or 19V DC-IN (Type-C)
- Size: 152*86*220mm
- Weight: 300g

Dimensions



OFFICE DOCKS

XAT-OD01G1

Office dock for XRT-24I51001G1



- Charges both the tablet and a spare battery simultaneously
- 2xUSB3.0, 1xRJ45, 1xRS232, 19V3.42ADC, 1xPOGO PIN, 12pin
- Size: 180*110*85mm
- Weight: 500g

XAT-OD02G1

Office dock for XRT-23A0802G1 & XRT-23A0803G1



- 2xUSB2.0, 1xRJ45, 1xRS232, 5V3ADC, 1xPOGO PIN, 12pin
- Size: 175*95*90mm
- Weight: 400g

XAT-OD03G1

Office dock for XRT-24A1001G1 & XRT-24A1002G1



- Charges both the tablet and a spare battery simultaneously
- 2xUSB2.0, 1xRJ45, 1xRS232, 5V/4ADC, 1xPOGO PIN, 12pin
- Size: 180*110*85mm
- Weight: 500g

VEHICLE DOCKS


XAT-VM01D1

Vehicle Dock for XRT-23A0801D1 & XRT-23A1001D1



- Support VESA 75x75 and 100x100, compatible with VESA brackets
- 2xUSB 2.0, 1xRJ45 (10/100M), 1xRS232
- 65W PD or 19V DC-IN (Type-C)
- Size: 150*41.5*198.3mm
- Weight: 450g

Dimensions



VEHICLE DOCKS


XAT-VM02D1

Vehicle Dock for XRT-23C0801D1 & XRT-23C1001D1



- Support VESA 75x75 and 100x100, compatible with VESA brackets
- 2xUSB 2.0, 1x RJ45 (10/100M), 1xRS232
- 65W PD or 19V DC-IN (Type-C)
- Size: 150*41.5*230.3mm
- Weight: 500g

Dimensions



VEHICLE DOCKS


XAT-VM03D1

Vehicle Dock for XRT-24IX1101D1



- Support VESA 75x75 and 100x100, compatible with VESA brackets
- 2xUSB 2.0, 1xRJ45 (10/100M), 1xRS232
- 65W PD or 19V DC-IN (Type-C)
- Size: 152*49*220.5mm
- Weight: 250g

Dimensions



VEHICLE DOCKS

XAT-RAM01D1

Mounting with Arm and VESA Base for XAT-VM01D1/XAT-VM02D1



- 120.65mm/4.75" VESA base at both sockets
- 142.8mm/5.625" double socket arm for 38mm/1.5" ball base
- Flat 61.976mm/2.44" diameter base with AMPS hole pattern
- Suitable products: XAT-VM01D1/XAT-VM02D1 vehicle docks
- Weight: 700g

XAT-VESAM01G1

VESA mount for XRT-24I51001G1



- Size: 220*122.9*6mm
- Weight: 500g

XAT-VESAM02G1

VESA mount for XRT-23A0802G1 & XRT-23A0803G1



- Size: 140*115*6mm
- Weight: 400g



VEHICLE DOCKS

XAT-VM01G1

Vehicle mount for XRT-23A0802G1 & XRT-23A0803G1



- 2xUSB2.0, 1xRJ45, 1xRS232, 5V/3ADC, 1xPOGO PIN 12pin
- Size: 140*115*175.7mm
- Weight: 500g



STRAPS

XAT-HS01D1

Hand Strap for XRT-23A0801D1/XRT-23C0801D1



- Hand strap kit for 8" tablet, including screws
 - Weight: 50g
-

XAT-HS02D1

Hand Strap for XRT-23A1001D1/XRT-23C1001D1



- Hand strap kit for 10.1" tablet, including screws
 - Weight: 50g
-

XAT-HS03D1

Hand Strap for XRT-24IX1101D1



- Hand strap kit for 11.6" tablet, including screws
 - Weight: 50g
-

XAT-SHS01D1

Shoulder Strap for All tablets



- Shoulder strap kit, including screws
- Adjustable cross-body strap with pad
- Weight: 100g



XAT-ADAP02D1

Adapter for XAT-OD01D1/XAT-OD02D1



- PD 3.0 GaN 65W power adapter
 - Input: 100-240V ~ 50/60Hz
 - Output: 5V/9V/12V/15V@3A, 20V@3.25A (Type-C)
 - Size: 62.3*59*31.4mm
 - Weight: 100g
-

XAT-VC01D1

Vehicle Charger for XAT-VM01D1/XAT-VM02D1



- Vehicle charger, wide voltage input
 - 10-36V DC-IN (Bare wires)
 - 19V/5A DC-OUT (Type-C)
 - Cable length: input-0.12m, output-2m
 - Weight: 290g
-

XAT-VC02D1

Vehicle Charger for XAT-VM01D1/XAT-VM02D1



- Vehicle charger, PD100W max
 - 12/24V DC-IN (Car cigarette lighter)
 - 5/9/12/15/20V DC-OUT (Type-C)
 - Cable length: input-0.6m, output-1.8m
 - Weight: 200g
-

XAT-BAT01D1

10,000mAh 3.8V Battery for XRT-23A0801D1/XRT-23A1001D1



- 3.8V 10000mAh Li-Polymer battery (38Wh)
- Size: 118.77*96*13.45mm
- Weight: 200g

XAT-BAT02D1


5,000mAh 7.6V Battery for XRT-23C0801D1/XRT-23C1001D1



- 7.6V 5000mAh Li-Polymer battery (38Wh)
 - Size: 118.77*96*13.45mm
 - Weight: 200g
-

XAT-BAT03D1

3,800mAh 7.7V Battery for XRT-24IX1101D1



- 7.7V 3800mAh Li-Polymer battery (29.26Wh)
 - Size: 130*80*8.35mm
 - Weight: 150g
-

XAT-BC01D1

2-Bay Battery Charger for XRT-24IX1101D1



- 2-bay battery charger for XRT-24IX1101D1
- 65W PD or 19V DC-IN (Type-C)
- Size: 150*108*24.12mm
- Weight: 150g

XAT-BAT01G1

4,000mAh 11.4V Battery for XRT-24I51001G1



- 11.4V 4000mAh Li-Polymer battery (45.6Wh)
- Size: 127.7*108.4*14mm
- Weight: 230g

XAT-BAT02G1

9,800mAh 3.8V Battery for XRT-23A0802G1/XRT-23A0803G1



- 3.8V 9800mAh Li-Polymer battery (38Wh)
- Size: 87*83*8.5mm
- Weight: 150g

XAT-BAT03G1

9,800mAh 3.8V Battery for XRT-24A1001G1/XRT-24A1002G1



- 3.8V 9800Ah Li-Polymer battery (38Wh)
- Size: 121.7*104.4*13.4mm
- Weight: 200g

XAT-STY01D1

Stylus with Tether



- Replacement capacitive stylus with tether
- Length: 0.132m
- Weight: 20g

XAT-STYACT01G1

Active stylus for XRT-24I51001G1



- Fiber tip / White color / Pinhole charging port, Precise fine tip / With magnetic adsorption / Power level indicator / Button switch.

XAT-STYPAS01G1

Passive stylus



- Stainless steel/Black/103mm/With pen clip

XAT-USBCAB01D1

USB Cable for XRT-23C0801D1/XRT-23C1001D1



- USB Type-C to Type-C power cable
- Length: 1m
- Weight: 50g

XAT-USBCCABG1

USB-C cable



- USB-A to USB-C power cable
- Length: 1m
- Weight: 50g

XAT-USBDC01G1

USB-DC cable



- USB-A to DC power cable
- Length: 1.2m
- Weight: 50g

Reference table

Tablet references	Accessory references
<u>XRT-23A0801D1</u> 	• XAT-OD01D1 : Office Dock • XAT-VM01D1 : Vehicle Dock • XAT-RAM01D1 : ARM & VESA Base • XAT-HS01D1 : Hand-Strap • XAT-SHS01D1 : Shoulder Strap • XAT-BAT01D1 : Battery • XAT-ADAP0201 : Adapter • XAT-VC01D1 : Vehicle Charger • XAT-VC02D1 : Vehicle Charger • XAT-STY01D1 : Stylus
<u>XRT-23A1001D1</u> 	• XAT-OD01D1 : Office Dock • XAT-VM01D1 : Vehicle Dock • XAT-RAM01D1 : ARM & VESA Base • XAT-HS02D1 : Hand-Strap • XAT-SHS01D1 : Shoulder Strap • XAT-BAT01D1 : Battery • XAT-ADAP0201 : Adapter • XAT-VC01D1 : Vehicle Charger • XAT-VC02D1 : Vehicle Charger • XAT-STY01D1 : Stylus
<u>XRT-23C0801D1</u> 	• XAT-OD02D1 : Office Dock • XAT-VM02D1 : Vehicle Dock • XAT-RAM01D1 : ARM & VESA Base • XAT-HS01D1 : Hand-Strap • XAT-SHS01D1 : Shoulder Strap • XAT-BAT02D1 : Battery • XAT-USBCAB01D1 : USB Cable • XAT-ADAP0201 : Adapter • XAT-VC01D1 : Vehicle Charger • XAT-VC02D1 : Vehicle Charger • XAT-STY01D1 : Stylus

Reference table

Tablet references	Accessory references
<u>XRT-23C1001D1</u> 	• XAT-OD02D1 : Office Dock • XAT-VM02D1 : Vehicle Dock • XAT-RAM01D1 : ARM & VESA Base • XAT-HS02D1 : Hand-Strap • XAT-SHS01D1 : Shoulder Strap • XAT-BAT02D1 : Battery • XAT-USBCAB01D1 : USB Cable • XAT-ADAP0201 : Adapter • XAT-VC01D1 : Vehicle Charger • XAT-VC02D1 : Vehicle Charger • XAT-STY01D1 : Stylus
<u>XRT-24Ix1101D1</u> 	• XAT-OD03D1 : Office Dock • XAT-VM03D1 : Vehicle Dock • XAT-HS03D1 : Hand Strap • XAT-SHS01D1 : Shoulder Strap • XAT-BAT03D1 : Battery • XAT-BC01D1 : Battery Charger • XAT-STY01D1 : Stylus
<u>XRT-24I51001G1</u> 	• XAT-OD01G1 : Office Dock • XAT-VESAM01G1 : VESA Mount • XAT-BAT01G1 : Battery • XAT-STYACT01G1 : Active Stylus • XAT-USBCCABG1 : USB-C Cable
<u>XRT-23A0802G1</u> 	• XAT-OD02G1 : Office Dock • XAT-VESAM02G1 : VESA Mount • XAT-VM01G1 : Vehicle Dock • XAT-BAT02G1 : Battery • XAT-STYPAS01G1 : Passive Stylus • XAT-USBCCABG1 : USB-C Cable

Reference table

Tablet references	Accessory references
<u>XRT-23A0803G1</u> 	• XAT-OD02G1 : Office Dock • XAT-VESAM02G1 : VESA Mount • XAT-VM01G1 : Vehicle Dock • XAT-BAT02G1 : Battery • XAT-STYPAS01G1 : Passive Stylus • XAT-USBCCABG1 : USB-C Cable
<u>XRT-24A1001G1</u> 	• XAT-OD03G1 : Office Dock • XAT-BAT03G1 : Battery • XAT-STYPAS01G1 : Passive Stylus • XAT-USBCCABG1 : USB-C Cable
<u>XRT-24A1002G1</u> 	• XAT-OD03G1 : Office Dock • XAT-BAT03G1 : Battery • XAT-STYPAS01G1 : Passive Stylus • XAT-USBCCABG1 : USB-C Cable



Lyon - **FRANCE** Shenzhen - **CHINA**
+33 (0)4 72 14 17 99 **+86 137 135 57674**
info@intronix-systems.com contact@intronix-systems.com



www.intronix-systems.com